

野村論文
Appendix-2

Samples	Sed. Intervals	Sediment weight (g/cm ²)	Ages (A.D.)	Samples	Sed. Intervals	Sediment weight (g/cm ²)	Ages (A.D.)	Samples	Sed. Intervals	Sediment weight (g/cm ²)	
	(cm)				(cm)				(cm)		
H-1-1	0.0-0.5	0.08	1996.5 - 1995.4	H-2-1	0-0.5	0.07	1996.5 - 1996.0	N-1-1	0-0.5	0.10	
H-1-2	0.5-1.0	0.11	1995.4 - 1993.9	H-2-2	0.5-1.0	0.10	1996.0 - 1995.3	N-1-2	0.5-1.0	0.16	
H-1-3	1.0-1.5	0.22	1993.9 - 1990.9	H-2-3	1.0-1.5	0.14	1995.3 - 1994.3	N-1-3	1.0-1.5	0.17	
H-1-4	1.5-2.0	0.21	1990.9 - 1988.0	H-2-4	1.5-2.0	0.15	1994.3 - 1993.2	N-1-4	1.5-2.0	0.17	
H-1-5	2.0-2.5	0.23	1988.0 - 1984.8	H-2-5	2.0-2.5	0.18	1993.2 - 1991.9	N-1-5	2.0-2.5	0.17	
H-1-6	2.5-3.0	0.25	1984.8 - 1981.3	H-2-6	2.5-3.0	0.23	1991.9 - 1990.2	N-1-6	2.5-3.0	0.20	
H-1-7	3.0-3.5	0.28	1981.3 - 1977.3	H-2-7	3.0-3.5	0.26	1990.2 - 1988.3	N-1-7	3.0-3.5	0.18	
H-1-8	3.5-4.0	0.27	1977.3 - 1973.6	H-2-8	3.5-4.0	0.30	1988.3 - 1986.2	N-1-8	3.5-4.0	0.21	
H-1-9	4.0-4.5	0.24	1973.6 - 1970.3	H-2-9	4.0-4.5	0.31	1986.2 - 1983.9	N-1-9	4.0-4.5	0.24	
H-1-10	4.5-5.0	0.34	1970.3 - 1965.5	H-2-10	4.5-5.0	0.35	1983.9 - 1981.3	N-1-10	4.5-5.0	0.25	
H-1-11	5.0-5.5	0.29	1965.5 - 1961.5	H-2-11	5.0-5.5	0.39	-	N-1-11	5.0-5.5	0.22	
H-1-12	5.5-6.0	0.37	1961.5 - 1956.4	H-2-12	5.5-6.0	0.40	-	N-1-12	5.5-6.0	0.27	
H-1-13	6.0-6.5	0.39	1956.4 - 1950.9	H-2-13	6.0-6.5	0.42	-	N-1-13	6.0-6.5	0.22	
H-1-14	6.5-7.0	0.50	1950.9 - 1944.0	H-2-14	6.5-7.0	0.50	-	N-1-14	6.5-7.0	0.24	
H-1-15	7.0-7.5	0.27	1944.0 - 1940.3	H-2-15	7.0-7.5	0.44	-	N-1-15	7.0-7.5	0.23	
H-1-16	7.5-8.0	0.42	1940.3 - 1934.4	H-2-16	7.5-8.0	0.48	-	N-1-16	7.5-8.0	0.24	
H-1-17	8.0-8.5	0.41	1934.4 - 1928.7	H-2-17	8.0-8.5	0.55	-	N-1-17	8.0-8.5	0.26	
H-1-18	8.5-9.0	0.48	1928.7 - 1922.1	H-2-18	8.5-9.0	0.51	-	N-1-18	8.5-9.0	0.24	
H-1-19	9.0-9.5	0.56	1922.1 - 1914.3	H-2-19	9.0-9.5	0.63	-	N-1-19	9.0-9.5	0.28	
H-1-20	9.5-10.0	0.51	1914.3 - 1907.2	H-2-20	9.5-10.0	0.80	-	N-1-20	9.5-10.0	0.25	
0.072g/cm ² /year				0.138g/cm ² /year				0.0416g/cm ² /year			

野村論文
Appendix-2

Ages (A.D.)	Samples	Sed. Intervals (cm)	Sediment weight (g/cm ²)	Ages (A.D.)	Samples	Sed. Intervals (cm)	Sand content (%)	Ages (A.D.)	Samples	Sed. Intervals (cm)
1996.5-1994.7	N-2-1	0.0-1.0	0.19	1996.5-1990.7	ST-19-1	0-1.0	7.45	1992.5-1991.3	NA-2-1	0-1.0
1994.7-1990.7	N-2-2	1.0-2.0	0.18	1990.7-1985.3	ST-19-2	1.0-2.0	9.07	1991.3-1989.9	NA-2-2	1.0-2.0
1990.7-1986.5	N-2-3	2.0-3.0	0.23	1985.3-1978.3	ST-19-3	2.0-3.0	12.09	1989.9-1988.0	NA-2-3	2.0-3.0
1986.5-1982.4	N-2-4	3.0-4.0	0.24	1978.3-1967.7	ST-19-4	3.0-4.0	8.53	1988.0-1986.7	NA-2-4	3.0-4.0
1982.4-1978.3	N-2-5	4.0-5.0	0.31	1967.7-1954.0	ST-19-5	4.0-5.0	6.56	1986.7-1985.7	NA-2-5	4.0-5.0
1978.3-1973.5	N-2-6	5.0-6.0	0.32	1954.0-1940.0	ST-19-6	5.0-6.0	5.86	1985.7-1984.7	NA-2-6	5.0-6.0
1973.5-1969.3	N-2-7	6.0-7.0	0.38	1940.0-1923.3	ST-19-7	6.0-7.0	7.90	1984.7-1983.5	NA-2-7	6.0-7.0
1969.3-1964.2	N-2-8	7.0-8.0	0.27	1923.3-1911.5	ST-19-8	7.0-8.0	5.97	1983.5-1982.6	NA-2-8	7.0-8.0
1964.2-1958.5	N-2-9	8.0-9.0	0.34	1911.5-1896.4	ST-19-9	8.0-9.0	12.43	1982.6-1980.6	NA-2-9	8.0-9.0
1958.5-1952.5	N-2-10	9.0-10.0	0.32	1896.4-1882.3	ST-19-10	9.0-10.0	14.85	1980.6-1978.3	NA-2-10	9.0-10.0
1952.5-1947.3					ST-19-11	10.0-11.0	8.32	1978.3-1969.5	NA-2-11	10.0-11.0
1947.3-1940.9					ST-19-12	11.0-12.0	4.40	1969.5-1964.8	NA-2-12	11.0-12.0
1940.9-1935.6					ST-19-13	12.0-13.0	0.57	1964.8-1964.1	NA-2-13	12.0-13.0
1935.6-1929.7					ST-19-14	13.0-14.0	3.53	1964.1-1960.4	NA-2-14	13.0-14.0
1929.7-1924.3					ST-19-15	14.0-15.0	2.29	1960.4-1958.0	NA-2-15	14.0-15.0
1924.3-1918.6					ST-19-16	15.0-16.0	3.28	1958.0-1951.7	NA-2-16	15.0-16.0
1918.6-1912.4					ST-19-17	16.0-17.0	5.39	1951.7-1941.3	NA-2-17	16.0-17.0
1912.4-1906.6					ST-19-18	17.0-18.0	3.33	1941.3-1934.9	NA-2-18	17.0-18.0
1906.6-1899.9					ST-19-19	18.0-19.0	2.33	1934.9-1930.4	NA-2-19	18.0-19.0
1899.9-1894.0					ST-19-20	19.0-20.0	6.22	1930.4--1918.5	NA-2-20	19.0-20.0
	N-2-1~N-2-3: 0.0325g/cm ² /year N-2-4~N-2-6: 0.0226g/cm ² /year				ST19-1~ST19-10: 6.39%/year ST19-11~ST-19-15: 0.94%/year ST-19-16~ST-19-18: 0.52%/year				NA2-1~NA2-5: 0.072g/cm ² /year NA2-6~NA2-20: 0.103g/cm ² /year	

野村論文
Appendix-2

Sediment weight (g/cm ²)	Ages (A.D.)	Samples	Sed. Intervals (cm)	Sediment weight (g/cm ²)	Ages (A.D.)	Samples	Sed. Intervals (cm)	Sand content (%)	Ages (A.D.)
0.16	1994.9-1992.4	NA-3-1	0-1.0	0.12	1994.9-1992.8	ST-15-1	0-1.0	2.45	1992.5-1991.5
0.18	1992.4-1989.6	NA-3-2	1.0-2.0	0.17	1992.8-1989.8	ST-15-2	1.0-2.0	5.10	1991.5-1989.4
0.26	1989.6-1986.3	NA-3-3	2.0-3.0	0.21	1989.8-1986.1	ST-15-3	2.0-3.0	5.14	1989.4-1987.3
0.29	1986.3-1982.4	NA-3-4	3.0-4.0	0.23	1986.1-1982.1	ST-15-4	3.0-4.0	2.67	1987.3-1986.2
0.31	1982.4-1978.4	NA-3-5	4.0-5.0	0.21	1982.1-1978.4	ST-15-5	4.0-5.0	5.17	1986.2-1984.1
0.33	1978.4-1975.3	NA-3-6	5.0-6.0	0.24	1978.4-1971.0	ST-15-6	5.0-6.0	6.88	1984.1-1981.3
0.44	1975.3-1972.3	NA-3-7	6.0-7.0	0.23	1971.0-1964.1	ST-15-7	6.0-7.0	3.29	1981.3-1972.3
0.32	1972.3-1969.6	NA-3-8	7.0-8.0	0.20	1964.1-1958.0	ST-15-8	7.0-8.0	3.83	1972.3-1961.9
0.29	1969.6-1966.9	NA-3-9	8.0-9.0	0.21	1958.0-1945.6	ST-15-9	8.0-9.0	3.54	1961.9-1952.3
0.31	1966.9-1964.2	NA-3-10	9.0-10.0	0.18	1945.6-1935.1	ST-15-10	9.0-10.0	3.33	1952.3-1943.3
0.39	1964.2-1961.5	NA-3-11	10.0-11.0	0.17	1935.1-1925.1	ST-15-11	10.0-11.0	2.30	1943.3-1937.0
0.42	1961.5-1959.1	NA-3-12	11.0-12.0	0.17	1925.1-1915.1	ST-15-12	11.0-12.0	1.23	1937.0-1933.7
0.46	1959.1-1956.2	NA-3-13	12.0-13.0	0.17	1915.1-1905.1	ST-15-13	12.0-13.0	0.46	1933.7-1932.4
0.37	1956.2-1953.3	NA-3-14	13.0-14.0	0.20	1905.1-1893.3	ST-15-14	13.0-14.0	0.42	1932.4-1931.3
0.39	1953.3-1950.0	NA-3-15	14.0-15.0	0.20	-	ST-15-15	14.0-15.0	0.96	1931.3-1928.7
0.39	1950.0-1946.7	NA-3-16	15.0-16.0	0.19	-	ST-15-16	15.0-16.0	1.90	1928.7-1923.5
0.41	1946.7-1943.3	NA-3-17	16.0-17.0	0.17	-	ST-15-17	16.0-17.0	1.71	1923.5-1918.8
0.51	1943.3-1940.1	NA-3-18	17.0-18.0	0.17	-	ST-15-18	17.0-18.0	3.64	1918.8-1908.9
0.52	1940.1-1936.2	NA-3-19	18.0-19.0	0.22	-	ST-15-19	18.0-19.0	2.75	1908.9-1901.5
0.56	1936.2-1932.7	NA-3-20	19.0-20.0	0.19	-	ST-15-20	19.0-20.0	2.34	1901.5-1895.1
m^2/year		NA-3-1~NA-3-5: 0.057g/cm ² /year				ST15-1~ST15-6: 2.45%/year			
cm^2/year		NA-3-6~NA-3-8: 0.033g/cm ² /year				ST15-7~ST15-20: 0.37%/year			
		NA-3-9~NA-3-14: 0.017g/cm ² /year							